

PO Box 1284 Big Stone Gap, VA 24219

Phone: (276) 870-0987

e-mail: SharpConsultingService@gmail.com



Purestream 10,000 GPD Extended Aeration Sewage Treatment Plant

Application for Reissuance Permit VPDES Permit# 0092045

PO Box 1284 Big Stone Gap, VA 24219 Phone: (276) 870-0987

e-mail: SharpConsultingService@gmail.com

Table of Contents

Introduction	1	
NPDES Permit Application Addendum	2	
VPDES Sewage Sludge Permit Application for Permit Reissuance	3	
Receiving Facility Confirmation Letter	5	
NPDES Form 2A Application	6	
Attachments:		
Route map	Figure 1	
Location Map	Figure 2	



PO Box 1284 Big Stone Gap, VA 24219 Phone: (276) 870-0987

e-mail: SharpConsultingService@gmail.com

Introduction


The Robinette Mobile Home Park, LLC is located north of Addington on State Route 620 in Wise County, Virginia. The facility is owned by Deborah Fleming and operated by Sharp Consulting Service. The VPDES reissuance application for the proposed 10,000 gallon per day (GPD) Purestream extended aeration treatment plant is being submitted for continued operation authorization.

VPDES PERMIT APPLICATION ADDENDUM

1. Entity to whom the permit is to be issued:	Robinette Mobile Home Park, LLC
Who will be legally responsible for the wastewater treatm not be the facility or property owner.	ent facilities and compliance with the permit? This may or may
2. Is this facility located within city or town bou	ndaries? No_
3. Provide the tax map parcel number for the la	nd where the discharge is located. 012124
4. For the facility to be covered by this permit, h fine years due to new construction activities?	ow many acres will be disturbed during the next N/A
5. What is the design average effluent flow of the For industrial facilities, provide the max. 30-d	s facility? <u>0.01</u> MGD ay average production level, include units:
In addition to the design flow or production le any other discharge flow tiers or production le If "Yes", please identify the other flow tiers (in M	evel, should the permit be written with limits for evels? No
Please consider the following questions for both the flow tiest expand operations during the next five years? Is your facil	ers and the production levels (if applicable): Do you plan to ity's design flow considerably greater than your current flow?
6. Nature of operations generating wastewater: Robinette Mobile Home Park, LLC	
of flow from domestic connections/sou Number of private residences to be served by the	
	sources
7. Mode of discharge: Continuous X Inter Describe frequency and duration of intermittent of Discharge from Sewage Treatment Plant	mittentSeasonal r seasonal discharges:
8. Identify the characteristics of the receiving streed discharge point: X Permanent stream, never dry Intermittent stream, usually flowing, sometime Ephemeral stream, wet-weather flow, often defined Effluent-dependent stream, usually or always Lake or pond at or below the discharge point Other:	mes dry dry s dry without effluent flow
9. Approval Date(s): O & M Manual 02/05/2009 Sludge	/Solids Management Plan <u>01/10/2007</u>
Have there been any changes in your operations or	

VIDIEC Correge Chidea Darmit Application for Darmit Daissey	OT OO
VPDES Sewage Sludge Permit Application for Permit Reissu	ance
Instructions	
WHO MUST SUBMIT THE APPLICATION - All facilities with a current VPDES Permit that authorizes the discharge	of treated sewage wastewater
that are applying for reissuance must complete and submit this application. Part 1 is general information to be provided by all facilities.	
Part 2 must be completed by all facilities that generate Class A or Class B biosolids that are land applied.	
Part 3 must be completed by all facilities that land apply Class B biosolids.	
Part 1 – Sludge Disposal Management (To be completed by all facilities)	
Facility Name: Robinette Mobile Home Park, LLC VPDES Permit No: VA0092045	
1. Shipment Off Site for Treatment or Blending	
Is sewage sludge from your facility sent to another facility that provides treatment or blending?	⊠ Yes □ No
If you send sewage sludge to more than one facility, attach additional sheets as necessary.	
Shipment off site is: The primary method of sludge disposal A back up method of sludge disposal	
a. Receiving Facility Name Coeburn Norton Wise Wastewater Treatment Plant	
b. Receiving Facility VPDES Permit No. VA0077828	
c. Include an acceptance letter from the Receiving Facility.	
d. Receiving Facility's ultimate disposal method for sewage sludge	
2. Disposal in a Municipal Solid Waste Landfill	
Is sewage sludge from your facility placed in a municipal solid waste landfill?	☐ Yes 🛛 No
If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.	
Landfilling is: The primary method of sludge disposal A back up method of sludge disposal	
a. Landfill Name	
b. Landfill Permit No.	
c. Include an acceptance letter from the landfill.	
3. Incineration	
Is sewage sludge from your facility fired in a sewage sludge incinerator?	☐ Yes 🛛 No
Incineration is: The primary method of sludge disposal A back up method of sludge disposal	
a. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?	☐ Yes 🛛 No
If yes, provide the Air Registration No.	
If no, complete items b - d for each incinerator that you do not own or operate.	
b. Facility Name	
c. Air Registration No.	
d. Include an acceptance letter from the Incinerator,	
4. Class A Biosolids	
Do you produce Class A biosolids for land application or distribution and marketing? If yes, complete Part 2.	☐ Yes ⊠ No
Are Class A biosolids from your facility land applied in bulk?	☐ Yes ⊠ No
Do you sell or give away Class A biosolids in a bag or other container for application to the land? If yes, provide the	
VDACS certification number?	
5. Class B Biosolids	
Do you produce Class B biosolids? If yes, complete Part 2.	☐ Yes 🛛 No
Are Class B biosolids from your facility land applied land applied under the authorization of this VPDES Permit? If	
complete Part 3.	,, [] 1.00 [] 1.10
6. Land Application Under a Separate Permit	
Are biosolids from your facility land applied under the authorization of a permit other than your VPDES Permit?	☐ Yes No
Biosolids are land applied under the authorization of a _ VPA permit _ Another VPDES Permit _ Out of St.	
Complete items a - c for each VPA permit authorized to land apply biosolids from your facility.	
a. Permittee Name b. Permit No.	
c. Include copy of any information you provide to the Receiving VPDES or VPA Permittee to comply with the "n	enting and magazine
information" requirement of VAC 25-31-530.F.	ouce and necessary

VPDES Sewage Sludge Permit Application for Permit Reissuance							
Part 2 - Biosolids Characterization (To be completed by all facilities that generate biosolids that are land applied.)							
1. Have there been changes to sludge treatment processes or storage facilities since the previous permit issuance/reissuance?							
2. Do the biosolids generated under this permit that will be land applied meet one of the Class A pathogen requirements in 9 VAC25-31-710.A.3. through A.8 or Class B pathogen requirements in 9VAC25-31-710.B.1. through B.4.?							
Identify the pathogen reduction option utilized to demonstrate compliance with the pathogen reductions requirements and provide the data that demonstrate compliance with the applicable alternative.							
3. Do the biosolids generated under this permit that will be land applied meet one of the vector attraction reduction requirements in 9VAC25-31-720.B.1. through 10?							
Identify the vector attraction reduction option utilized to demonstrate compliance with the vector attraction reductions requirements and provide the data that demonstrate compliance with the applicable alternative.							
4. Do the biosolids to be land applied meet the ceiling/pollutant concentrations in 9VAC25-31-540.B?							
5. Has data from the most recent 3 samples for pH (S. U.), Percent Solids (%), Ammonium Nitrogen (mg/kg), Nitrate Nitrogen (mg/kg), Total Kjeldahl Nitrogen (mg/kg), Total Phosphorus (mg/kg), Total Potassium (mg/kg), Alkalinity as CaCO ₃ (mg/kg), Arsenic (mg/kg), Cadmium (mg/kg), Copper (mg/kg), Lead (mg/kg), Mercury (mg/kg), Nickel (mg/kg), Selenium (mg/kg), Zinc (mg/kg) been submitted to DEQ? The samples shall be no more than 4½ years old and each sampling date shall be at least 1 month apart.							
If no, provide the data with this application.							
Part 3 – Land Application of Class B Biosolids (To be completed by all facilities that land apply Class B biosolids.)							
1. Provide to DEQ and to each locality in which biosolids are to be land applied, written evidence of financial responsibility. Evidence of financial responsibility shall be provided in accordance with 9VAC25-31-100.P.9.							
 For each site, provide a properly completed landowner agreement for each landowner, using the most current Land Application Agreement - Biosolids Form (VPDES Sewage Sludge Permit Application Form – Attachment to Section C). 							
3. Are any new land application fields proposed at this reissuance?							
If yes, contact the DEQ Regional Office for additional submittal requirements.							
4. For the currently permitted land application fields, are the previously submitted site booklets, maps and acreage accurate.							
If no, contact the DEQ Regional Office for additional submittal requirements.							
5. Does the facility's Biosolids Management Plan on file with DEQ include the following minimum information?							
a. An odor control plan that addresses the abatement of odors resulting from the storage and/or land application of biosolids.							
b. A description of the transport vehicles to be used.							
c. Procedures for biosolids offloading at the land application site including spill prevention, cleanup (including vehicle cleaning), field reclamation, and emergency notification and cleanup measures.							
d. A description of the land application equipment including procedures for calibrating equipment to ensure uniform distribution and appropriate loading rates.							
e. Procedures used to ensure that land application activities address notification requirements, signage requirements, slope restrictions, operation limitations during periods of inclement weather, soil pH requirements, buffer zone requirements, and site restrictions.							
f. Any other information necessary to ensure compliance with the requirements of the Biosolids Program of the VPDES Permit Regulation (9VAC25-31-420 through 720).							
Certification							
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.							
Name and Official Title Deborah Fleming, Owner Signature Deborah Fleming, Owner							
Telephone number / Email (276) 676-0097							
Date signed <u>01/15/2015</u>							
(Based on a review of this information, it may be necessary to submit additional information to meet other legal or technical review requirements.)							



All rights reserved. Use Subject to License/Copyright
These directions are Informational only. No representation is made or warranty given as to their content, road conditions or route usability or expeditiousness. User assumes all risk of use. MapQuest and its suppliers assume no responsibility for any loss or delay resulting from such use.

Sludge had route.



Chairman Joseph Fawbush

Caynor Smith

Huck Hunnicutt Jerry Kilgore Jess R. Powers Mike Wright

March 17, 2016

819 Virginia Avenue N.W. P. O. Box 1296 Norton, Virginia 24273-0922 (276) 679-7236 Fax (276) 679-2401

> Mark S. Hollyfield Executive Director

Mr. Anthony Sharp Sharp Consulting Service P.O. Box 1284 Big Stone Gap, Virginia 24219

RE: Robinette Mobile Home Park Sewer Plant Sludge

Dear Mr. Sharp,

I am writing confirm that Robinette Mobile Home Park is authorized to dispose of wastewater treatment plant digester contents at the Coeburn-Norton-Wise Regional Waste Water Treatment Plant. The Authority reserves the right to terminate this authorization at any time. You are prohibited from disposing the contents of grease traps, industrial wastes, or any material that is considered dangerous, hazardous, or toxic at the C-N-W plant.

Before transporting a load of wastes to the Plant, please contact Mark Smith at 276-395-5302 to coordinate the date, time, and location of disposal. I always strongly suggest that Mark be contacted prior to pumping a digester. This may prevent inconvenience, if for some reason, the Plant is unable to accept wastes at a particular time. If you have questions, please call or write.

Sincerely,

COEBURN-NORTON-WISE REGIONAL WASTE WATER TREATMENT AUTHORITY

Mark S. Hollyfield Executive Director

Copy to: C-N-W Regional Wastewater Treatment Plant

Robinette Mobile Home Park, LLC / VA0092045

FORM 2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - Any other industrial user that:
 - Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Robinette Mobile Home Park, LLC / VA0092045

BAS	IC APPLICATION	INFORMATION		
PAR	T A. BASIC APPLICA	ATION INFORMATION FOR	ALL APPLICANTS:	
All tre	eatment works must c	omplete questions A.1 through	A.8 of this Basic Application Infon	mation Packet
A.1.	Facility Information			
	Facility Name	Robinette Mobile Home P	ark, LLC	
	Mailing Address	19347 Hunt Club Road Abingdon, VA 24211		
	Contact Person	Deborah Fleming		
	Title	Operating Manager		
	Telephone Number	1070 070 000		
	Facility Address (not P.O. Box)			
4.2 .	Applicant Information	on. If the applicant is different fro	om the above, provide the following:	
	Applicant Name			
	Mailing Address			
	Contact Person	Banks, and a second sec		
	Title			
	Telephone Number			
	Is the applicant the	owner or operator (or both) of	the treatment works?	
	⊠ owner	operator operator		
	Indicate whether corre	spondence regarding this permit	t should be directed to the facility or th	e applicant
	facility	applicant	•	T a server
.3.	Existing Environmer the treatment works (in	ntal Permits. Provide the permit nclude state-issued permits).	number of any existing environmental	permits that have been issued to
	NPDES VA009	2045	PSD	
	UIC		Other	
	RCRA		Other	
	collection System Inforce opulation of each entity wnership (municipal, pri		municipalities and areas served by the on the type of collection system (co	e facility. Provide the name and mbined vs. separate) and its
	Name	Population Served	Type of Collection System	Ownership
	Mobile Home Park	55	_	Private
				and delinearing and
	Total population so	rved <u>55</u>		
	· ····· populaton St	ived <u>93</u>	-	

Robinette Mobile Home Park, LLC / VA0092045

	mura	n Country.				
	a.	Is the treatment works located in	Indian Country?			
		☐ Yes 🗵 No				
	b.	Does the treatment works dischar flows through) Indian Country?	ge to a receiving water that i	s either in Indian Country o	that is u	epstream from (and eventual
		🗌 Yes 🗵 No				
S.		Indicate the design flow rate of the tre e daily flow rate and maximum daily fi with the 12 th month of "this year" occu				
	a.	Design flow rate 0.01 mg	d			
			Two Years Ago	Last Year		This Year
	b.	Annual average daily flow rate	.001	.002		.002
	C.	Maximum daily flow rate	.001			.002
	00110101	tion System. Indicate the type(s) of cution (by miles) of each. Parate sanitary sewer				%
		nbined storm and sanitary sewer				
		rges and Other Disposal Methods.				%
	DISCIPLI	ges and Other Disposal manifolds.				
	a.	And the second of the second				
		Does the treatment works discharge	e effluent to waters of the U.	S.? Xes		No
		If yes, list how many of each of the			uses:	No
			following types of discharge		uses:	No
		If yes, list how many of each of the i. Discharges of treated effl	following types of discharge		uses:	No
		If yes, list how many of each of the i. Discharges of treated effl	following types of discharge luent or partially treated effluent		uses:	No
		ii. Discharges of untreated of iii. Combined sewer overflow	following types of discharge luent or partially treated effluent	points the treatment works	uses:	No
		ii. Discharges of untreated of iii. Combined sewer overflow	following types of discharge luent or partially treated effluent v points	points the treatment works	uses:	No
	b.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of	following types of discharge luent or partially treated effluent or points overflows (prior to the headw	points the treatment works	3	
	b.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge	following types of discharge luent or partially treated effluent or points overflows (prior to the headwest effluent to basins, ponds, one to waters of the U.S.?	points the treatment works rorks)	3	No No No
	b.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge	following types of discharge luent or partially treated effluent or points overflows (prior to the headwest effluent to basins, ponds, one to waters of the U.S.?	points the treatment works rorks)	3	
	b.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge if yes, provide the following for each	following types of discharge luent or partially treated effluent or points overflows (prior to the headwest effluent to basins, ponds, one to waters of the U.S.?	points the treatment works rorks) r other surface impoundmen	3	⊠ No
	b.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency ov. Other Does the treatment works discharge that do not have outlets for discharge fyes, provide the following for each Location:	following types of discharge luent or partially treated effluent or points overflows (prior to the headwere effluent to basins, ponds, one to waters of the U.S.?	points the treatment works orks) r other surface impoundment Yes	3	
	b. c.	if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge if yes, provide the following for each Location: Annual average daily volume dischar	following types of discharge luent or partially treated effluent or points overflows (prior to the headwest effluent to basins, ponds, or set to waters of the U.S.?	points the treatment works orks) r other surface impoundment Yes	ints	No mgd
		if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharg if yes, provide the following for each Location: Annual average daily volume dischar is discharge Continuous	following types of discharge luent or partially treated effluent or points overflows (prior to the headwere effluent to basins, ponds, one to waters of the U.S.? In surface impoundment: Inge to surface impoundment or intermittent?	points the treatment works orks) r other surface impoundment Yes	3	⊠ No
		if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge lif yes, provide the following for each location: Annual average daily volume discharge continuous Does the treatment works land-apply	following types of discharge luent or partially treated effluent or points overflows (prior to the headwere effluent to basins, ponds, one to waters of the U.S.? In surface impoundment: Inge to surface impoundment or intermittent?	points the treatment works orks) r other surface impoundment Yes	ints	No mgd
		if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge If yes, provide the following for each Location: Annual average daily volume discharge Is discharge continuous Does the treatment works land-apply If yes, provide the following for each	following types of discharge luent or partially treated effluent or points overflows (prior to the headwere effluent to basins, ponds, one to waters of the U.S.? In surface impoundment: Inge to surface impoundment or intermittent?	points the treatment works orks) r other surface impoundment Yes	ints	No mgd
		if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge If yes, provide the following for each Location: Annual average daily volume discharge continuous Does the treatment works land-apply If yes, provide the following for each Location: Number of acres:	following types of discharge luent or partially treated effluent or points overflows (prior to the headwer effluent to basins, ponds, one to waters of the U.S.? I surface impoundment or intermittent? In intermittent? In treated wastewater?	points the treatment works orks) r other surface impoundmen Yes (s) .002	nts Yes	No mgd
		if yes, list how many of each of the i. Discharges of treated effi ii. Discharges of untreated of iii. Combined sewer overflow iv. Constructed emergency of v. Other Does the treatment works discharge that do not have outlets for discharge If yes, provide the following for each Location: Annual average daily volume discharts discharge continuous Does the treatment works land-apply If yes, provide the following for each Location:	following types of discharge luent or partially treated effluent or points overflows (prior to the headwere effluent to basins, ponds, one to waters of the U.S.? It surface impoundment: Inge to surface impoundment or intermittent? Intermittent? Intermittent?	points the treatment works rother surface impoundment Yes (s) .002	nts Yes	No mgd

Robinette Mobile Home Park, LLC / VA0092045

	Tank Truck	rks (e.g., tank truck, pipe).				
		party other than the applicant, provide:				
		Y&Y Services				
	Mailing Address	PO Box 1620 Wise, VA 24293				
	Contact Person Sherry Yeary					
	Title	Owner				
	Telephone Number	(276) 328-8345				
	For each treatment	works that receives this discharge, provide the following:				
	TO COOT DOGGTON					
	Name	Coeburn Nortone Wise Wastewater Treatment Plant				
	Mailing Address	819 Virginia Ave NW Norton, VA 24273				
	Contact Person	Mark Holyfield				
	Title	Executive Director				
	Telephone Number	(276) 679-7236				
	If known, provide the	e NPDES permit number of the treatment works that receives this discharge VA0077828_				
	Provide the average	e daily flow rate from the treatment works into the receiving facility. N/A mgd				
e.		works discharge or dispose of its wastewater in a manner not included d above (e.g., underground percolation, well injection):				
	If yes, provide the following for each disposal method:					
	Description of method	od (including location and size of site(s) if applicable):				
	Annual daily volume	e disposed by this method: N/A				
	Is disposal through t	this method Continuous or intermittent?				

Robinette Mobile Home Park, LLC / VA0092045

Form Approved 1/14/99 OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

9.	Desci	ription of Outfall.			
	a.	Outfall number	001		
	b.	Location	Norton		24273
			(City or town, if applical	ole)	(Zip Code)
			Wise		VA (State)
			(County)	OM Con	•
			36 Deg 58 Min 49.2 (Lattitutde)	on sec	82 Deg 37 Min 27.37W Se (Longitude)
8	C.	Distance from shore (if applicable)		ft.
	d.	Depth below surface (if applicable)	alternative Conference on the Section 1	ft.
	e.	Average daily flow rat	9	0.002	mgd
	f.	Does this outfall have discharge?	either an intermittent or a po	eriodic Yes	No (go to A.9.g.)
		If yes, provide the folk	owing information:		
		Number f times per ye	ar discharge occurs:	350	
		Average duration of e	ach discharge:	20 Minutes	
		Average flow per disc	harge:	0.0015	mgd
		Months in which disch	arge occurs:	All	
	g.	Is outfall equipped wit	h a diffuser?	Yes	☐ No
0.	Descr	iption of Receiving Wat	ders.		
	a.	Name of receiving wa	er <u>Guest Rive</u>		
	b.	Name of watershed (if	known) Clinch		
		United States Soil Cor	servation Service 14-digit w	ratershed code (if kno	wn): 060102050501
	C.	Name of State Manag	ement/River Basin (if known): Unkno	wn
		United States Geologi	cal Survey 8-digit hydrologic	cataloging unit code	(if known): 06010205
	d.	·-	eiving stream (if applicable)	chronic	cfs

Robinette Mobile Home Park, LLC / VA0092045

A.11.	Description	of Treatment	ŧ.						
	a. Wh	at levels of tre	atment are p	rovided? Ch	eck all tha	t apply.			
	\boxtimes	Primary	X	Secondary					
		Advanced		Other. De	scribe:				
	b. Indi	cate the follow	ing removal	rates (as app	olicable):				
	Des	ign BOD5 rem	noval or Desi	ign CBOD5 n	emoval				%
		ign SS remov							<u> </u>
		ign P removal							—
		ign N removal						· · · · · · · · · · · · · · · · · · ·	— % %
	Oth	_				S-			%
			faction is use		uent from :	- Slicature adt	If disinfaction v	variae by easean	— ⁷⁰ please describe:
		orination			dent nom	uns outain:	ii disiniection (valles by season,	picase describe.
	lf di	sinfection is by	chlorination	is dechlorina	ation used	for this out	fall?	X Yes	No
	d. Doe	s the treatmer	nt plant have	post aeratio	n?			⊠ Yes	No
A.12	the following through which information in addition, requirement	g parameters. ch effluent is reported mus this data mus s for standare	Provide the discharged of be based of the comply with the discharge of the comply with the complexity of the complexity	e indicated of the indicated of the indicate o	effluent te lude infor ected thro quiremen not addre	mation on ugh analy ts of 40 Cl ssed by 40	ired by the per combined sew sis conducted of FR Part 136 and CFR Part 136.	mitting authority er overflows in	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing
Outfall r	the followin through whi information In addition, requirement data must b	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged of the based of the comply will discharge of the comply will be a statement of the complete of the comp	e indicated Do not inc on data colk th QA/QC re or analytes samples and	effluent te clude infor ected thro quiremen not addre d must be	esting requi mation on ugh analy ts of 40 Cl ssed by 40	ired by the per combined sew sis conducted of FR Part 136 and OFR Part 136. han four and o	mitting authority er overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r	the followin through whi information In addition, requirement data must b	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged of the based of the comply will discharge of the co	e indicated Do not inc on data colk th QA/QC re for analytes samples and	effluent te clude infor ected thro quiremen not addre d must be	esting requi mation on ugh analy ts of 40 Cl ssed by 40	ired by the per combined sew sis conducted of FR Part 136 and OFR Part 136. han four and o	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum,	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r	the followin through whi information In addition, requirement data must b number: PARAMETE	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged of the based of the comply will discharge of the comply will be a statement of the complete of the comp	e indicated Do not inc on data colk th QA/QC re or analytes samples and	effluent te clude infor ected thro quiremen not addres d must be	esting requi mation on ugh analy ts of 40 Cl ssed by 40	ired by the per combined sew sis conducted of FR Part 136 and OFR Part 136. han four and o	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r	the followin through whi information In addition, requirement data must b number: PARAMETE	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged of the based of the comply will discharge of the co	e indicated . Do not inc on data colk th QA/QC re or analytes samples and	effluent te clude infor ected thro quiremen not addres d must be	esting requirements on on one of the control of the	ired by the per combined sew sis conducted of R Part 136 and CFR Part 136. han four and of AVERAGI	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r	the followin through whi information In addition, requirement data must b number: PARAMETE	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged of be based of comply with the discharged of the discharge of the di	e indicated Do not incon data colk th QA/QC re for analytes samples and DAILY VAL	effluent te clude infor ected thro quiremen not addres d must be	esting requirements on on one of the control of the	ired by the per combined sew sis conducted of R Part 136 and CFR Part 136. han four and of AVERAGI	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r pH (Min pH (Max Flow Ra	the followin through whi information In addition, requirement data must b number: PARAMETE nimum) ximum)	g parameters. ch effluent is reported mus this data mus s for standare based on at	Provide the discharged at be based of the comply with the discharged at the comply with the discharge at the comply with the complex three compl	DAILY VALUNIES.U. MGE	effluent te clude infor ected thro equiremen not addres d must be	esting requirements of 40 Classed by 40 no more to Value	ired by the per combined sew sis conducted of R Part 136 and CFR Part 136. han four and of AVERAGI	mitting authority rer overflows in using 40 CFR Pa tother appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art.
Outfall r pH (Min pH (Max Flow Ra Temper	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate rature (Winter)	g parameters. ch effluent is reported mus this data mus s for standare based on at	MAXIMUM Value 7.0 8.0 .002 21.8	DAILY VAL Unit: S.u. MGC	effluent te clude infor ected thro equiremen not addres d must be	value .0015 21.8	ired by the per combined sew sis conducted of FR Part 136 and 0 CFR Part 136. han four and of AVERAGI Unit	mitting authority rer overflows in using 40 CFR Pa tother appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art. E ther of Samples 350 350
Outfall r pH (Min pH (Max Flow Ra Temper	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate rature (Winter) rature (Summe	g parameters. ch effluent is reported mus this data mus s for standare based on at	MAXIMUM Value 7.0 8.0 .002 21.8 25.6	DAILY VAL Unit: S.u. MGE	effluent te clude infor ected thro quiremen not addred d must be	esting requirements of 40 Classed by 40 no more to Value	ired by the per combined sew sis conducted of R Part 136 and CFR Part 136. han four and of AVERAGI	mitting authority rer overflows in using 40 CFR Pa tother appropria At a minimum, ne-half years ap	y for each outfall this section. All art 136 methods. ate QA/QC effluent testing art. E ber of Samples
Outfall r pH (Min pH (Max Flow Ra Temper	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate rature (Winter) rature (Summe	g parameters. ch effluent is reported mus this data mus s for standare based on at 001 R	Provide the discharged at be based of the comply will discharge at the com	DAILY VAL Unit: S.u. MGC maximum di IM DAILY	effluent te lude infor ected thro quiremen not addres d must be	value .0015 21.8 25.6	ired by the per combined sew sis conducted of the conduct	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num D	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E Section 136 methods are QA/QC effluent testing art.
Outfall r pH (Min pH (Max Flow Ra Temper	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ximum) ate ature (Winter) ature (Summe * For pH plea	g parameters. ch effluent is reported mus this data mus s for standare based on at 001 R	Provide the discharged at be based of the comply will discharge at the com	DAILY VAL Unit: S.u. MGC C maximum d	effluent te lude infor ected thro quiremen not addres d must be	value 25.6	ired by the per combined sew sis conducted of the conduct	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E 350 350 350
Outfall r pH (Min pH (Max Flow Ra Tempera Tempera	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ximum) ate ature (Winter) ature (Summe * For pH plea	g parameters. ch effluent is reported mus this data mus s for standare based on at 001 R	Provide the discharged at be based of the comply with discharged at the comply with discharged and the complex of the compl	DAILY VAL Units S.u. MGC C maximum di MM DAILY TARGE Units	effluent te lude inforected through the lude inforected th	value Value 21.8 25.6 VERAGE DISCHA	AVERAGI OCA AVERAGI OCA AVERAGI OCA AVERAGI OCA OCA AVERAGI OCA OCA OCA AVERAGI OCA OCA OCA OCA OCA OCA OCA OC	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num D	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E 350 350 350
Outfall r pH (Min pH (Max Flow Ra Tempera Tempera	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate ature (Winter) ature (Summe * For pH plea POLLUTA MICAL OXYGEN	g parameters. ch effluent is reported mus this data mus s for standare based on at 001 R	Provide the discharged at be based of the comply with discharged at the comply with discharged and the complex of the compl	DAILY VAL Units S.u. MGC C maximum di MM DAILY TARGE Units	effluent te lude inforected through the lude inforected th	value Note the control of the contr	AVERAGI OCA AVERAGI OCA AVERAGI OCA AVERAGI OCA OCA AVERAGI OCA OCA OCA AVERAGI OCA OCA OCA OCA OCA OCA OCA OC	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num D	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E 350 350 350
Outfall r pH (Min pH (Max Flow Ra Tempera Tempera	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate rature (Winter) ature (Summe * For pH plea POLLUTA	g parameters. ch effluent is reported mus this data mus s for standare based on at 001 R	MAXIMUM Value 7.0 8.0 .002 21.8 25.6 nimum and a MAXIMU DISCI-	DAILY VAL Units S.U. MACI maximum di IM DAILY Units IM DAILY Units	effluent te lude inforected through the lude inforected through through the lude infor	value Value .0015 21.8 25.6 VERAGE DISCHA	AVERAGI Uni MG C DAILY RGE Number of Samples	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num D	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E 350 350 350
Outfall r pH (Min pH (Max Flow Ra Tempera Tempera	the followin through whi information In addition, requirement data must b number: PARAMETE imum) ate ature (Winter) ature (Summe * For pH plea POLLUTA MICAL OXYGEN	parameters. ch effluent is reported mus this data mus s for standare based on at 001 R ND NON CO BOD5	MAXIMUM Value 7.0 8.0 .002 21.8 25.6 nimum and a MAXIMU DISCI-	DAILY VAL Units S.U. MACI maximum di IM DAILY Units IM DAILY Units	effluent te lude inforected through the lude inforected through through the lude infor	value Value .0015 21.8 25.6 VERAGE DISCHA	AVERAGI Uni MG C DAILY RGE Number of Samples	mitting authority rer overflows in using 40 CFR Pa I other appropria At a minimum, ne-half years ap E DAILY VALU ts Num D	y for each outfall this section. All this section. All art 136 methods. At e QA/QC effluent testing art. E 350 350 350

Form Approved 1/14/99

Robinette Mobile Home Park, LLC / VA0092045	OMB Number 2040-0086					
BASIC APPLICATION INFORMATION						
PART C. CERTIFICATION						
applicants must complete all applicable sections of Form 2A, as explaine	ons to determine who is an officer for the purposes of this certification. All d in the Application Overview. Indicate below which parts of Form 2A you have plicants confirm that they have reviewed Form 2A and have completed all					
Indicate which parts of Form 2A you have completed	and are submitting:					
□ Basic Application Information packet □ S □	supplemental Application Information packet:					
	Part D (Expanded Effluent Testing Data)					
	Part E (Toxicity Testing: Biomonitoring Data)					
	Part F (Industrial User Discharges and RCRA/CERCLA Wastes)					
	Part G (Combined Sewer Systems)					
ALL APPLICANTS MUST COMPLETE THE FOLLOWING CER	TIFICATION.					
designed to assure that qualified personnel properly gather and evaluate manage the system or those persons directly responsible for gathering the	e prepared under my direction or supervision in accordance with a system the information submitted. Based on my inquiry of the person or persons who le information, the information is, to the best of my knowledge and belief, true, or submitting false information, including the possibility of fine and imprisonment					
Name and official title Deborah Fleming	A					
Signature Signature	lemeny					
Telephone number (276) 676-0097	<u> </u>					
Date signed <u>01/15/2016</u>						
Upon request of the permitting authority, you must submit any other infor works or identify appropriate permitting requirements.	Upon request of the permitting authority, you must submit any other information necessary to assure wastewater treatment practices at the treatment					

SEND COMPLETED FORMS TO: